

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"6704797".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:21
L2	0	"6704797".pn. and ((target destination) with (site page)) same (http with (referer referrer) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:21
L3	1	"6704797".pn. and (http with (referer referrer) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:21
L4	1	(@ad<"20000410").ad. and ((target destination) with (site page)) same (http with (referer referrer) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:23
L5	0	(@ad<"20000410").ad. and ((target destination) with (site page)) and (http with (referer referrer) with header with (URL IRL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:24
L6	0	(@ad<"20000410").ad. and ((target destination) with (site page)) and ((http with (referer referrer) with header) same (URL IRL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:24
L7	1	(@ad<"20000410").ad. and ((target destination) with (site page)) and ((http same (referer referrer) same header) same (URL IRL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:26
L8	2	(@ad<"20000410").ad. and ((target destination) with (site page)) and ((http same (referer referrer) same header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:32
L9	19	(@ad<"20000410").ad. and ((http same (referer referrer) same header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:44

EAST Search History

L10	2	(@ad<"20000410").ad. and ((http with header) same (referer referrer) same (destination target receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:47
L11	426	(@ad<"20000410").ad. and ((http with header) with (field content data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:48
L12	7	(@ad<"20000410").ad. and ((http with header) with (field content data information)) same (referrer referer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:50
L13	655	(@ad<"20000410").ad. and ((http with header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:50
L14	365	(@ad<"20000410").ad. and ((http adj2 header))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:50
L15	18	(@ad<"20000410").ad. and ((http adj2 header)) and (referer referrer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:51
L16	5	(@ad<"20000410").ad. and ((http adj2 header) same (entry field)) and (referer referrer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:53
L17	91	(@ad<"20000410").ad. and ((http adj2 header) same (entry field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:03
L18	0	(@ad<"20000410").ad. and ((http adj2 header) same (entry field)) and (apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:53
L19	29	(@ad<"20000410").ad. and ((http adj2 header) same (location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:16

EAST Search History

L20	1	(@ad<"20000410").ad. and ((http adj2 header)).oref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:16
S1	2	(cue hilton epis halchin pfendt ridenour).in. and (apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 07:52
S2	3540	(apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:17
S3	0	(cue near3 eduardo).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:18
S4	0	(epis near glenn).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S5	0	(epis near3 glenn).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S6	0	(halchin near3 judy).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S7	0	(pfendt near3 susan).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S8	0	(rinenour near3 cathy).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S9	0	(hilton near3 shaun).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:20

EAST Search History

S10	176	((apple).as.) and (custom or customize)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:20
S11	14	((((apple).as.) and (custom or customize)) and ((web or internet) and store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:23
S12	57	(@ad<"19990406").ad. and (custom or customize) and (web or www or internet) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:28
S13	57	((@ad<"19990406").ad. and (custom or customize) and (web or www or internet) and (store near5 front)) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:25
S14	3	(((@ad<"19990406").ad. and (custom or customize) and (web or www or internet) and (store near5 front)) and (store near5 front)) and (virtual near10 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:25
S15	121	(@ad<"19990406").ad. and (custom or customize) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:37
S16	21	((@ad<"19990406").ad. and (custom or customize) and (store near5 front)) and (virtual near4 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:27
S17	121	(@ad<"19990406").ad. and (custom or customize) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:31
S18	6	((@ad<"19990406").ad. and (custom or customize) and (store near5 front)) and (configuration configure) and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:29
S19	0	(@ad<"19990406").ad. and ((custom or customize) same (store near5 front)) and (virtual near5 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:35

EAST Search History

S20	16	(blinn conklin).in. and (custom or customize)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:37
S21	137	((@ad<"19990406").ad. and (custom or customize) and (store near5 front)) or ((blinn conklin).in. and (custom or customize))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:35
S22	8	((blinn conklin).in. and (custom or customize)) and (configure configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:44
S23	6	((blinn conklin).in. and (custom or customize)) and (configure configuration)) and (administrator or administer or administration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:44
S24	4	("6058373" "6167383").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/23 10:46
S25	4	("6058373" "6167383").pn.) and (customize configure configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:31
S26	0	("6058373" "6167383").pn.) and (customize configure configuration) and (superv\$4 or administ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:32
S27	0	("6058373" "6167383").pn.) and (customize configure configuration) and (superv\$4 or admin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:32
S28	4	("6058373" "6167383").pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:32
S29	2276	(@ad<"20000406").ad. and (config\$5 and (portal or mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:35

EAST Search History

S30	2755	((@ad<"20000406").ad. and (config\$5 and (portal or mall)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:35
S31	1049	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:51
S32	1048	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5) and (configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:56
S33	235	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5) and (configur\$5) and (third adj2 party or clearing adj2 house)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:57
S34	78	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5) and (configur\$5) and (third adj2 party or clearing adj2 house) and (custom\$5 or tailor\$5) near5 (page near2 web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:57
S35	78	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5) and (configur\$5) and (third adj2 party or clearing adj2 house) and ((custom\$5 or tailor\$5) near5 (page near2 web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:59
S36	78	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5) and (configur\$5) and (third adj2 party or clearing adj2 house) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:00
S37	77	((@ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5) and (configur\$5) and (third adj2 party or clearing adj2 house) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address) and (author\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:02

EAST Search History

S38	76	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (merchant vendor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S39	0	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and ((merchant vendor) and gorup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S40	76	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and ((merchant vendor) and group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S41	61	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and ((merchant and vendor) and group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S42	24	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (merchant and vendor and group) and (institution and (university or college))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:14

EAST Search History

S43	54	(((((ad<"20000406").ad. and (config\$5 and (portal or mail))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (web near3 author\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:14
S44	49	(((((ad<"20000406").ad. and (config\$5 and (portal or mail))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (web adj2 authoring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:20
S45	6	("705"/\$\$.ccls. and (hitchcock).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:20
S46	0	("705"/\$\$.ccls. and (hichcock).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:20
S47	1	((("705"/\$\$.ccls. and (hitchcock).in.) and (college)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:21
S48	53	(((((ad<"20000406").ad. and (config\$5 and (portal or mail))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (web adj2 author\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:02
S49	1	(@ad<"20000406").ad. and (config\$5 and (portal or mail)) and (barnes).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 17:03

EAST Search History

S50	6	(@ad<"20000406").ad. and ("705"/\$\$.ccls. and (barnes).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 17:03
S51	2	("6,345,278").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:58
S52	53	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$ or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (web adj2 author\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:03
S53	53	(((((ad<"20000406").ad. and (config\$5 and (portal or mall))) and (superv\$5 or manag\$5 or adminis\$5)) and (configur\$5)) and (third adj2 party or clearing adj2 house)) and ((custom\$5 or tailor\$5) near5 (page near2 web))) and (URL or address)) and (web adj2 author\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:04
S54	6974	(@ad<"20000406").ad. and (web near5 (authoring or creat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:05
S55	278	((@ad<"20000406").ad. and (web near5 (authoring or creat\$5))) and ("705"/\$\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:05
S56	269	(@ad<"20000406").ad. and (web near5 (authoring))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:12
S57	111	(@ad<"20000406").ad. and (web near5 (authoring)) and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:14

EAST Search History

S58	21	(@ad<"20000406").ad. and ("705"/\$\$.ccls. and (web near5 (authoring)) and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:15
S59	2	("6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:39
S60	4	("6058373").pn. ("6167383").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 11:23
S61	4	("6058373").pn. ("6167383").pn. and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:16
S62	4	("6058373").pn. ("6167383").pn. and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:37
S63	4	(@ad<"20000406").ad. and (http with header with referrer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:38
S64	7	(@ad<"20000406").ad. and (http with header with (referrer referer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:38
S65	6	(@ad<"20000406").ad. and (http with header with (referrer referer)) and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:47
S66	6	S65 not "L7"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S67	6	S65 not I5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43

EAST Search History

S68	0	S65 not S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S69	1	S64 not S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S70	23	(@ad<"20000406").ad. and (http with (referrer referer)) and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:12
S71	36	(@ad<"20000406").ad. and (http with (referrer referer)) and access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:12
S72	9	(@ad<"20000406").ad. and (http with (referrer referer) with access\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:15
S73	8	(@ad<"20000406").ad. and (http with (referrer referer) with access\$8) and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:16
S74	9	(@ad<"20000406").ad. and (http with (referrer referer) with access\$8) and secur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:21
S75	55	(@ad<"20000406").ad. and (http with (header referrer referer) with access\$8) and secur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:54
S76	2	("6167383").pn. and (custom\$6 with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:54
S77	1	("6167383").pn. and (customiz\$6 with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:55

EAST Search History

S78	1	("6167383").pn. and (customiz\$6 with store with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:55
S79	2	("6058373").pn. ("6167383").pn. and admin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:21
S80	4	("6058373").pn. ("6167383").pn. and ((interface or page) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 14:21
S81	1	("6058373").pn. and ((interface or page) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 14:22
S82	1	("6058373").pn. and ((sav\$5 stor\$5) with (data database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 14:22
S83	4	(cue hilton epis halchin pfindt ridenour).in. and (apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:24
S84	2480	(cue hilton epis halchin pfindt ridenour).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:24
S85	30	(cue hilton epis halchin pfindt ridenour).in. and (http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:30
S86	31	(cue hilton epis halchin pfindt ridenour).in. and (http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:30
S87	1	S86 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:45

EAST Search History

S88	316	(http with header) with access\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:46
S89	196	(http with header) with access\$ and (destination target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:46
S90	135	(http with header) with access\$ and ((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:47
S91	2	(http with referrer with header) with access\$ and ((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:47
S92	15	(http with header) with access\$ same ((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S93	81807	((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S94	2840	(destination) with (uri url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S95	844	(destination) adj2 (uri url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S96	580	(destination) adj2 (uri url) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10
S97	0	(destination) adj2 (uri url) and (http with referrer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10

EAST Search History

S98	6	(destination) adj2 (uri url) and (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10
S99	2	(destination) adj2 (uri url) same (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22
S10 0	2	(destination adj2 uri) same (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22
S10 1	0	(destination adj2 url) same (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22
S10 2	32	(http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:23
S10 3	28	(http with referer with header) and url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:23
S10 4	17	(http with referer with header) same url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:23
S10 5	23	(http with referer with header) same (url uri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:26
S10 6	44	(http with (referer referrer) with header) same (url uri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:30
S10 7	16	(mcgee).in. and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:33

EAST Search History

S10 8	1812	(http adj3 url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:33
S10 9	110	(http adj3 url) same (http adj3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:33
S11 0	9	(http adj3 url) same (http adj3 (referrer referer) adj3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:06
S11 1	572	(destination adj1 url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:07
S11 2	408	(destination adj1 url) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:07
S11 3	72	(destination adj1 url) with http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:07
S11 4	5	(destination adj1 url) with (http adj4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:10
S11 5	5	("destination url") with (http adj4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:10
S11 6	0	((("destination url")same layer) and ((http adj4 header) same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:11
S11 7	0	((("destination url") same layer) and ((http adj4 header) same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:11

EAST Search History

S11 8	6	(("destination url") same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 17:15
S11 9	5	(henson).in. and dell.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 17:16
S12 0	8176	(source with (server host)) same (access\$ secur\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 07:54
S12 1	3209	(@ad<"20000410").ad. and (source with (server host)) same (access\$ secur\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 07:55
S12 2	149	(@ad<"20000410").ad. and (source with (server host)) same (access5\$ secur\$) same (ident\$6 determin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 08:13
S12 3	52	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5\$ secur\$) same (ident\$6 determin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 08:37
S12 4	29	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5\$ secur\$) same (ident\$6 determin\$4)) and (commerce business)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 08:38
S12 5	11	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5\$ secur\$) same (ident\$6 determin\$4)) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:16
S12 6	4	("5132899" "6292787").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 09:46

EAST Search History

S12 7	11	(7\$\$/\$\$).cccls. and (@ad<"20000410").ad. and ((refer\$5 source origi\$7) with (server host) with address) same (access5\$ secur\$) same (ident\$6 determin\$4) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20
S12 8	11	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5\$ secur\$) same (ident\$6 determin\$4)) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:16
S12 9	6	S127 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:16
S13 0	16	S127 or S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20
S13 1	14	(S127 or S128) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20
S13 2	9	(7\$\$/\$\$).cccls. and (@ad<"20000410").ad. and ((referrer source origi\$7) with (server host) with address) same (access5\$ secur\$) same (ident\$6 determin\$4) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:32
S13 3	10	(7\$\$/\$\$).cccls. and (@ad<"20000410").ad. and ((referrer trust\$5 source origi\$7) with (server host) with address) same (access5\$ secur\$) same (ident\$6 determin\$4) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:53
S13 4	400	("6,167,383").pn. (US "6058373"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:37

EAST Search History

S13 5	4	("6167383").pn. ("6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:42
S13 6	7	("6167383").pn. ("6058373").pn. ("6,704797").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:21
S13 7	7	(7\$/\$.).cls. and (@ad<"20000410").ad. and ((referrer trust\$5 source origi\$7) with (server host) with address) same (access\$5 secur\$) same (ident\$6 determin\$4) and (commerce business) and ((web internet) with page) and (configur\$5 and data\$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:54
S13 8	2	("6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:54
S13 9	1	("6058373").pn. and (secur\$5 and host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:55
S14 0	1	("6832321").pn. and (source with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:42
S14 1	0	(@ad<"20000410").ad. and ((referrer adj header adj field) same http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:11
S14 2	0	(@ad<"20000410").ad. and ((referer adj header adj field) same http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:11
S14 3	0	(@ad<"20000410").ad. and ((referer adj header adj field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:11

EAST Search History

S14 4	1	((@ad<"20000410").ad. and ((referrer with header with field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:11
S14 5	88	((@ad<"20000410").ad. and ((header with field)) same (http with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:12
S14 6	59	((@ad<"20000410").ad. and ((header with field)) with (http with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:12
S14 7	8	((@ad<"20000410").ad. and ((header with field)) with (http with request) with url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:14
S14 8	0	((@ad<"20000410").ad. and (referrer same field same header same http samerequest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:14
S14 9	0	((@ad<"20000410").ad. and (referrer same field same header same http same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:14
S15 0	3	((@ad<"20000410").ad. and (referer same field same header same http same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:17
S15 1	65	((@ad<"20000410").ad. and (http with layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:17
S15 2	3	((@ad<"20000410").ad. and (http with field with layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:18
S15 3	267	((@ad<"20000410").ad. and (http adj1 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:18

EAST Search History

S15 4	15	(@ad<"20000410").ad. and (http adj1 header adj field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:36
S15 5	6	(@ad<"20000410").ad. and (http adj1 header adj field) same url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:36
S15 6	4	("6167383").pn. ("6058373").pn. ("6,704797").pn. and (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:22
S15 7	2	("6167383").pn. and (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:03
S15 8	0	("6167383").pn. and (calculat\$5 with pric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:04
S15 9	0	("6167383").pn. and (calculat\$5 same pric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:04
S16 0	1	("6167383").pn. and ((calculat\$5 determin\$5) same pric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:04
S16 1	1	("6167383").pn. and ((calculat\$5 determin\$5 discount\$5) same pric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:04
S16 2	1	("6167383").pn. and ((calculat\$5 determin\$5 discount\$5) with pric\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:06
S16 3	1	("6167383").pn. and (customer with set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:06

EAST Search History

S16 4	1	("6167383").pn. and (customiz\$5 with set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:06
S16 5	1	("6167383").pn. and (customiz\$5 with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:06
S16 6	19098673	(@ad<"20000410").ad. (customiz\$5 with page) and (internet web www))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:33
S16 7	781	(@ad<"20000410").ad. and (customiz\$5 with page) and (internet web www))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:34
S16 8	3	(@ad<"20000410").ad. and (customiz\$5 with page) and (internet web www)) and (dell apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:29
S16 9	10	(@ad<"20000410").ad. and (customiz\$5 with page) and (internet web www)) and ((obsolete old outdated) with (part component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:27
S17 0	10	(@ad<"20000410").ad. and ((customiz\$5 with page) and (internet web www)) and ((obsolete old outdated) with (part component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:40
S17 1	3	(@ad<"20000410").ad. and (customiz\$5 with page) and (internet web www)) and (dell apple).as. and (available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:37
S17 2	2	("6167383").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:38
S17 3	2	(@ad<"20000410").ad. and ((customiz\$5 with page) and (internet web www)) and ((unavailable) with (part component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:41

EAST Search History

S17 4	12	((@ad<"20000410").ad. and ((customiz\$5 with page) and (internet web www)) and ((unavailable) with (part option component)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:42
S17 5	12	((@ad<"20000410").ad. and ((customiz\$5 with page) and (internet web www)) and ((unavailable) with (part stock option component)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:20
S17 6	4	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and ((unavailable) with (part stock option component)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:22
S17 7	4	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and ((unavailable (longer with (sell sold))) with (part stock option component)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:23
S17 8	353	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:23
S17 9	204	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((new obsolete old) with (part component item stock)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:25
S18 0	206	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((new obsolete old) with (part inventory component item stock)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:25
S18 1	168	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((new obsolete old) with (inventory component item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:25
S18 2	196	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((new obsolete old) with (part inventory component item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:25

EAST Search History

S18 3	64	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((messag\$5 advis\$5 warn\$5) same ((new obsolete old) with (part inventory component item)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:26
S18 4	8	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and (((messag\$5 advis\$5 warn\$5) same ((new obsolete old) with (part inventory component item))) same (alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:28
S18 5	0	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and (((messag\$5 advis\$5 warn\$5) same ((new obsolete old) with (part inventory component item))) same recommen\$5 same (alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:28
S18 6	6	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and (((messag\$5 advis\$5 warn\$5) same ((new obsolete old) with (part inventory component item))) same (offer\$5 recommen\$5) same (alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:29
S18 7	107	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((offer\$5 recommen\$5) same (alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:29
S18 8	127	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((offer\$5 recommen\$5) same (substitut\$5 other alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:30
S18 9	94	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((offer\$5 recommen\$5) with (substitut\$5 other alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:41

EAST Search History

S19 0	15	((@ad<"20000410").ad. and ((customiz\$5 same (page site)) same (internet web www)) and (package bundle) and ((offer\$5 recommen\$5) same catalog\$5 same (substitut\$5 other alternati\$5 replac\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:35
S19 1	2	("6167383").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:35
S19 2	1	("6167383").pn. and offer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:37
S19 3	1	("6167383").pn. and offer\$5 and avail\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:37
S19 4	37	(@ad<"20000410").ad. and "no longer offered"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:41
S19 5	20	(@ad<"20000410").ad. and "no longer offered" and (7\$\$/\$\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:18